

intel.
NUC

Intel® NUC 11 Extreme Kits:

Legends Start Here

Game changer, space saver



Small footprint, massive performance

No more playing around. Small, powerful Intel® NUC 11 Extreme Kits are designed for domination with 11th Gen Intel® Core™ processors and support for full-size, dual-slot graphics cards. The highest-performing Intel® NUC yet is engineered to win with the latest components and faster connectivity for wired and wireless gaming. Kits are available with an Intel® Core™ i9, i7, or i5 processor to build out with graphics, memory, storage, and OS for optimum gameplay. Customizable RGB underglow lighting with a replaceable RGB front logo makes it the ultimate rig for making a statement, from dominating enemies to gaming in style. Plenty of I/O options, a big, highly efficient power supply, and a modular

design allows massive storage for more games, lots of memory for increased responsiveness and higher frame rate in gameplay, and room to grow and upgrade with swappable components.

Intel® NUC 11 Extreme Kits may be tiny but deliver outsized performance. With capabilities typically found in towers, such as support for triple 4K monitors and built-in cooling—all packed into a mere 8 liters—the Intel NUC 11 Extreme kit is designed for immersive gaming experiences without dominating the desk space. For performance, connectivity, and modularity, this kit is hard to beat.

Intel® NUC 11 Extreme: Engineered to Win

11th Gen Intel Core processors
for gaming and support for
full-size, dual-slot graphic cards
deliver powerful gaming experiences.

8 liters small,
but with capabilities found
in gaming towers, this kit is
engineered to win.

Modular, customizable,
and with tons of I/O to
build it for today and
upgrade it later.

Features

- 11th Gen Intel® Core™ i9, i7, or i5 processors
- Supports up to 12-inch/350W, dual-slot graphics cards with PCIe x16 Gen4 slot, 8-pin + 2x6+2-pin PCIe power connectors
- 8 liters-small (357 x 189 x120 mm)
- Supports DDR4-3200 SODIMMs, 64 GB max.
- Intel® Wi-Fi 6E plus Bluetooth®
- Intel® 2.5 Gbps i225-LM Ethernet
- 2X Thunderbolt™ 4 ports
- 6X USB 3.2 Gen2 (rear), 2X USB 3.1 Gen2 ports (front)
- 650W, 80+ Gold power supply
- Built-in triple 92 mm fans
- Supports 3X 4K displays
- 4X M.2 slots (2X Gen4, 2X Gen3)
- HDMI 2.0b
- Addressable RGB underglow lighting and replaceable RGB front logo



Intel® NUC 11 Extreme Kit



	NUC11BTMi9	NUC11BTMi7	NUC11BTMi5
Processor*	11th Generation Intel® Core™ i9-11900KB 3.3 GHz – 5.0 GHz Turbo, 8 core, 16 thread, 24 MB Cache, 65 W	11th Generation Intel® Core™ i7-11700B 3.3 GHz – 4.9 GHz Turbo, 8 core, 16 thread, 20 MB Cache, 65 W	11th Generation Intel® Core™ i5-11400H 2.7 GHz – 4.5 GHz Turbo, 6 core, 12 thread, 12 MB Cache, 45 W
Graphics	Intel® UHD Graphics, 350 MHz – 1.45 GHz PCIe x16 Gen4 slot, up to 12" card length, dual-slot capable		
Memory	Dual-channel SODIMM slots DDR4-3200 64 GB max		
Storage	Four M.2 key M slots: 2280 CPU-attached PCIe X4 Gen4 NVMe, Two 2242/80 PCH-attached PCIe x4 Gen3 NVMe or SATA3 SSD, RAID-0 and RAID-1 capable, CPU-attached 42/80/110 PCIe X4 Gen4 Intel® Optane™ Memory M10, H10, H20 and Intel® Optane™ SSD ready		
Other Features & Technology	HDMI 2.0b port ▪ Two Thunderbolt™ 4 ports ▪ Intel® 2.5 GB Ethernet port ▪ Intel® Wi-Fi 6E AX210 and Bluetooth® 5.2 Eight USB 3.1 Gen2 ports ▪ SDXC slot with UHS-II support ▪ Supports up to three 4K displays All-around customizable RGB lighting with user-replaceable RGB-backlit front logo ▪ 3.5 mm front stereo headset jack Kensington lock ready ▪ 3-Year limited warranty		
Geo-Specific Power Cord	US, EU, UK, AU, CN, or No Cord Option		
Operating System	Not Included		
What's Needed	Memory, Storage, Operating System		



*Processor is pre-installed on Intel® NUC Extreme 11 Compute Element

Intel® NUC 11 Extreme Kit

Additional Technical Specifications



Processors

- **11th Generation Intel® Core™ i9-11900KB** (3.3 GHz – 5.0 GHz Turbo, 8 core, 16 thread, 24MB Cache, 65W) Intel® UHD Graphics, 350 MHz – 1.45 GHz
- **11th Generation Intel® Core™ i7-11700B** (3.3 GHz – 4.9 GHz Turbo, 8 core, 16 thread, 20MB Cache, 65W) Intel® UHD Graphics, 350 MHz – 1.45 GHz
- **11th Generation Intel® Core™ i5-11400H** (2.7 GHz – 4.5 GHz Turbo, 6 core, 12 thread, 12MB Cache, 45W) Intel® UHD Graphics, 350 MHz – 1.45 GHz

Storage Capabilities

- M.2 key M slot: 2280 CPU-attached PCIe X4 Gen4 NVMe
- M.2 key M slots: Two 2242/80 PCH-attached PCIe x4 Gen3 NVMe or SATA3 SSD, RAID-0 and RAID-1 capable
- PCIe X16 Gen4 slot with 8 pin & 2x6+2-pin PCIe power connectors, up to 350W, up to 12" card length, dual-slot capable
- PCIe X4 Gen4 slot
- CPU-attached M.2 slot 42/80/110 PCIe X4 Gen 4, Intel® Optane™ SSD ready
- Intel® Optane™ SSD and Intel® Optane™ Memory M10, H10, and H20 ready
- SDXC slot with UHS-II support

System Memory

- Dual channel DDR4-3200 SODIMMs, 1.2V, 64 GB max

Connectivity

- HDMI 2.0b port
- Two Thunderbolt™ 4 ports
- Intel® Wi-Fi 6E AX210 x 2.4 Gbps + Bluetooth 5.2, dual internal antennas
- Six USB 3.1 Gen2 Type-A ports (rear)
- Two USB 3.1 Gen2 Type-A ports (front)
- Intel® 2.5 Gb (i225-LM) Ethernet port
- SDXC slot with UHS-II support

System BIOS

- 256 Mb Flash EEPROM with Intel® Platform Innovation Framework for EFI Plug and Play
- Advanced configuration and power interface V5.0b, SMBIOS2.5
- Intel® BIOS
- Intel® Express BIOS update support

Hardware Management Features

- Voltage and temperature sensing
- ACPI-compliant power management control

Expansion Capabilities

- Two internal USB 3.1 headers
- Two internal USB 2.0 headers

Audio

- Up to 7.1 multichannel digital audio via HDMI or DisplayPort signals
- 3.5 mm front stereo headset jack

Operating System Compatibility

- Windows® 10
- Various Linux distros

Chassis Features and Size

- Plastic with metal inner frame, Kensington lock with panel security
- All-around customizable RGB lighting with user-replaceable RGB-backlit front logo
- 14.06" x 7.44" x 4.72"
- 357 mm x 189 mm x 120 mm (~8L)

Power Requirements

- 650W 80+ Gold internal power supply with geo-specific C13 AC cords

Environment Operating Temperature

- 0 C to +35 C

Storage Temperature

- -20 C to +60 C

Safety Regulations and Standards

- IEC/EN/UL 60950-1
- IEC/EN/UL 62368-1

EMC/RF Regulations and Standards

- FCC Part 15B/15C/15E
- CISPR/EN 55032/55024
- ICES-003
- VCCI 32
- BSMI CNS 13438
- KN 32/35
- AS/NZS CISPR 32
- EN 300 328
- EN 301 893

- EN 300 440
- EN 301 489-1/3/17
- EN 62311
- AS/NZS 4268
- AS/NZS 2772.2
- ARPANSA

Environmental Regulations

- EU RoHS
- China RoHS
- Taiwan BSMI RoHS
- REACH

Energy Efficiency Regulations for Mini PCs

- US Energy Star and CEC
- EU ErP Directive
- China CEL
- South Korea E-standby
- Australia GEMS
- Israel Energy Source
- Japan Energy Saving Act 2022年度基準: 15区分, 54.7kWh/年

Gaming Happens
With Intel
www.intel.com/NUC

Intel products are not intended for use in medical, life-saving, or life-sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice.

All products, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Availability in different channels may vary.

Actual Intel® NUC kit may differ from the image shown.

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT, OR OTHER INTELLECTUAL PROPERTY RIGHT.

